

08-10-00

A

Please type a plus sign (+) inside this box → ☐

Approved for use through 09/30/2000. OMB 0651-0032  
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE  
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

# UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))

Attorney Docket No.	Unisphere-13/2
First Inventor or Application Identifier	Luis Eduardo GUTIERREZ-SHERIS
Title	Money-Transfer Techniques
Express Mail Label No.	EL632363572US

## APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

ADDRESS TO: Assistant Commissioner for Patents  
Box Patent Application  
Washington, DC 20231

1. ☒ \* Fee Transmittal Form (with fees)  
(Submit an original and a duplicate for fee processing)
2. ☒ Specification [Total Pages 65]  
(preferred arrangement set forth below)
  - Descriptive title of the Invention
  - Cross References to Related Applications
  - Statement Regarding Fed sponsored R & D
  - Reference to Microfiche Appendix
  - Background of the Invention
  - Brief Summary of the Invention
  - Brief Description of the Drawings (if filed)
  - Detailed Description
  - Claim(s)
  - Abstract of the Disclosure
3. ☒ Drawing(s) (35 U.S.C. 113) [Total Sheets 13]
4. Oath or Declaration w/Power [Total Pages 2]
  - a. ☒ Newly executed (original or copy)
  - b. ☐ Copy from a prior application (37 C.F.R. § 1.63(d))  
(for continuation/divisional with Box 16 completed)
    - i. ☐ DELETION OF INVENTOR(S)  
Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).

5. ☐ Microfiche Computer Program (Appendix)
6. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)
  - a. ☐ Computer Readable Copy
  - b. ☐ Paper Copy (identical to computer copy)
  - c. ☐ Statement verifying identity of above copies

## ACCOMPANYING APPLICATION PARTS

7. ☒ Assignment Papers (cover sheet & document(s))
8. ☐ 37 C.F.R. § 3.73(b) Statement of Power of Attorney (when there is an assignee)
9. ☐ English Translation Document (if applicable)
10. ☐ Information Disclosure Statement (IDS)/PTO-1449 [Copies of IDS Citations]
11. ☐ Preliminary Amendment
12. ☒ Return Receipt Postcard (MPEP 503)  
(Should be specifically itemized)
13. ☒ \* Small Entity Statement(s) [Statement filed in prior application, Status still proper and desired (PTO/SB/09-12)]
14. ☐ Certified Copy of Priority Document(s) (if foreign priority is claimed)
15. ☐ Other: .....

NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).

16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment.  
☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No: \_\_\_\_\_  
Prior application information: Examiner \_\_\_\_\_ Group / Art Unit: \_\_\_\_\_

For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

## 17. CORRESPONDENCE ADDRESS

<input checked="" type="checkbox"/> Customer Number or Bar Code Label	007265	or <input type="checkbox"/> Correspondence address below
(Insert Customer No. or Attach bar code label here)		

Name			
Address			
City	State	Zip Code	
Country	Telephone	Fax	

Name (Print/Type)	Peter L. Michaelson	Registration No. (Attorney/Agent)	30,090
Signature	<i>Peter L. Michaelson</i>	Date	August 8, 2000

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.  
(UNI13-2TRANS/6:ca)

**MICHAELSON & WALLACE**  
*A Partnership of Intellectual Property and Technology Lawyers*

Peter L. Michaelson  
NJ, NY, PA, AK Bars

Robert M. Wallace  
NY, CA Bars

Christopher R. Balzan  
CA Bar

Eric J. Agaard  
CA Bar

Arien C. T. Ferrell  
CA Bar

Jeremiah G. Murray  
Patent Agent

Of Counsel:

John T. Peoples  
NJ Bar

Ronald L. Drumheller  
NY Bar

Edward M. Fink  
NJ, NY, D.C. Bars

Internet Address:  
[mail@mandw.com](mailto:mail@mandw.com)

Web Site:  
<http://www.mandw.com>

Please reply:

- ☒ Parkway 109 Office Ctr.  
328 Newman Springs Rd.  
P. O. Box 8489  
Red Bank, NJ 07701  
Tel: 732-530-6671  
Fax: 732-530-6584 or  
732-530-6585  
Videoconference:  
732-224-0132 (ISDN)

- ☐ 1001 Partridge Drive  
Suite 330  
Ventura, CA 93003  
Tel: 805-644-4035  
Fax: 805-644-8046

**Doc. No. Unisphere-13/2**

August 8, 2000

**PATENT APPLICATION**

Assistant Commissioner of Patents  
Box **Patent Application**  
Washington, D. C. 20231

Sir:

**FEE TRANSMITTAL FORM**

Enclosed herewith for filing is the following  
**utility** patent application:

Applicant: **Luis Eduardo GUTIERREZ-SHERIS**

Title of application: **MONEY-TRANSFER TECHNIQUES**

Pages of specification: **65** (including **6** pps. of claims  
[1-17] and **1** page of abstract)

Sheets of drawing: **13** (FIGs. 1-15)

Executed on: **July 11, 2000**

Docket No.: **Unisphere-13/2**

**PATENT APPLICATION FILING FEE CALCULATION**

	<u>No. Filed</u>	<u>Less</u>	<u>Rate/Claim</u>	<u>Fee</u>
Total				
Claims	<b>17</b>	-20	0 x \$18.00	\$ 00.00
Independent				
Claims	<b>3</b>	-3	0 x \$78.00	\$ 00.00
			Minimum Filing Fee	\$ 690.00
			Multiple Dependency Fee (if applicable - \$260.00)	\$ 00.00
			50% Reduction for Small Entity (Independent Inventor, Non-profit Corporation, or Small Business Concern) - appropriate verified statement attached	\$-345.00
			TOTAL FILING FEE	\$ 345.00
			ASSIGNMENT RECORDATION	\$ 40.00
			<b>TOTAL FEES ENCLOSED</b>	<b>\$ 385.00</b>

-1-

**\*\*\*EXPRESS MAIL CERTIFICATE APPEARS ON LAST PAGE\*\*\***

Our check in the amount of the total filing fee is enclosed herewith.


In the event that this check is unacceptable, insufficient or omitted, kindly charge the entire or additional filing fee, as appropriate, to my deposit account number 13-3083. To facilitate that charge, a duplicate copy of this letter is enclosed herewith.

Also enclosed herewith for filing in connection with the enclosed application are:

- ☒ Postcard Receipt;
- ☒ Check (\$ 385.00);
- ☒ Utility Patent Application Transmittal;
- ☐ Oath;
- ☒ Declaration and Power of Attorney (2 pages);
- ☐ Disclosure Statement;
- ☐ Letter referencing previously filed disclosure document; number \_\_\_\_\_ filed \_\_\_\_\_;
- ☒ Verified Statement Claiming Small Entity Status;
- ☒ A Recordation Form Cover Sheet and an Assignment of the application to: **UniTeller Financial Services, Inc.** (3 pps.);
- ☐ Claim to priority;
- ☐ Submission of Priority Document and a certified copy of a \_\_\_\_\_ patent application or inventor's certificate, filed \_\_\_\_\_ and serial no. \_\_\_\_\_, upon which a claim to priority is made; and
- ☐ Other: \_\_\_\_\_.

Respectfully submitted,

MICHAELSON & WALLACE



Peter L. Michaelson, Attorney  
Reg. No. 30,090  
Customer No. 007265

**STATEMENT CLAIMING SMALL ENTITY STATUS  
(37 CFR 1.9(f) & 1.27(c))--SMALL BUSINESS CONCERN**

Docket Number (Optional)  
Unisphere-13/2

Applicant, Patentee, or Identifier: Luis Eduardo GUTIERREZ-SHERIS  
Application or Patent No.: \_\_\_\_\_  
Filed or Issued: \_\_\_\_\_  
Title: MONEY-TRANSFER TECHNIQUES

I hereby state that I am

- ☐ the owner of the small business concern identified below:  
☒ an official of the small business concern empowered to act on behalf of the concern identified below.

NAME OF SMALL BUSINESS CONCERN UniTeller Financial Services, Inc.  
ADDRESS OF SMALL BUSINESS CONCERN 218 Route 17 North  
Rochelle Park, NJ 07662-2333

I hereby state that the above identified small business concern qualifies as a small business concern as defined in 13 CFR Part 121 for purposes of paying reduced fees to the United States Patent and Trademark Office. Questions related to size standards for a small business concern may be directed to: Small Business Administration, Size Standards Staff, 409 Third Street, SW, Washington, DC 20416.

I hereby state that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention described in:


- ☒ the specification filed herewith with title as listed above.  
☐ the application identified above.  
☐ the patent identified above.

If the rights held by the above identified small business concern are not exclusive, each individual, concern, or organization having rights in the invention must file separate statements as to their status as small entities, and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e).

- Each person, concern, or organization having any rights in the invention is listed below:  
☒ no such person, concern, or organization exists.  
☐ each such person, concern, or organization is listed below.

Separate statements are required from each named person, concern or organization having rights to the invention stating their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

NAME OF PERSON SIGNING L. Eduardo GUTIERREZ  
TITLE OF PERSON IF OTHER THAN OWNER President  
ADDRESS OF PERSON SIGNING 218 Route 17 North, Rochelle Park, NJ  
SIGNATURE  DATE 7/12/00

(UNI13-2ENTITY/6:ca)

**MONEY-TRANSFER TECHNIQUES**PRIORITY CLAIM

5 This application claims priority of  
co-pending United States provisional patent application  
entitled "MONEY TRANSFER TECHNIQUES", filed January 5,  
2000, and assigned serial number 60/174,646, which is  
incorporated by reference herein.

BACKGROUND OF THE INVENTION

10

## A. Field of the Invention

15

The present invention relates generally to  
techniques, specifically apparatus and accompanying  
methods, of conducting financial transactions, and  
particularly to commercial systems for transferring  
money and executing related monetary functions between  
multiple remotely located parties.

20

## B. Description of the Prior Art

25

Financial firms have used a variety of  
processes for transferring money between a customer and  
a beneficiary. In a typical money transfer process, a  
customer would visit the facilities of a selling agent  
who is part of or associated with a financial firm.  
The customer would normally be asked to complete a form  
giving information such as the amount to be

transferred, and the customer's and beneficiary's names, addresses, telephone numbers, etc. A customer would then submit a completed form to the transfer agent along with a payment, usually in cash, or via a credit card, certified check, or the like. The payment would usually include at least the transfer amount plus a transaction fee. The selling agent would then transmit appropriate information to the facilities of a paying agent where the beneficiary can readily collect the transferred funds.

Those concerned with the development of such processes have long recognized the need for reducing the time and effort required to execute a money transfer, while still maintaining a sufficiently high degree of security from threats, such as fraud, theft, third-party interception with redirection and interference of payment information.

In many prior-art systems, selling agents perform some steps with due speed and security. For instance, once a customer's transaction details and funds are processed, most selling agents can promptly initiate the transaction by electronically transmitting instructions to an appropriate company. Such transmissions normally occur over e.g., a telephone network. Typically, the customer or company would inform the beneficiary, e.g., via a telephone, that the funds are available for delivery at a paying agent's facility. The beneficiary, who, in fact, may have been waiting at a paying agent's facility for the transfer,

would present proper identification, e.g., a driver's license, passport, etc., to the paying agent. After reviewing the beneficiary's identification, the paying agent would then make the payment.

5

Although most prior-art processes can execute a money transfer within a reasonably short time, these processes still require considerable time and effort on the part of the customer and the agents. For instance, most money-transfer processes require that, for every requested transaction, a customer complete long, involved forms that demand considerable time and effort to complete properly. In addition, selling agents must review the customer's forms in detail and then manually input the customer's data for transmission to an appropriate company.

10

15

20

Hence, a need exists in the art for a money transfer system that is significantly easier and quicker to use by both transferring parties and beneficiaries.

#### SUMMARY OF THE INVENTION

25

The present invention relates to a method of transferring money from a customer to a beneficiary that advantageously overcomes the deficiencies of conventional money transfer technologies known in the art.

In accordance with the invention,  
money-transfer devices, specifically transaction cards,  
are first distributed to a plurality of customers.  
Each money-transfer device is equipped with a unique  
5 device code. Next, a device database is created which  
comprises a set of device records in which each of the  
unique device codes is loaded into a different  
corresponding one of the device records. Customer  
data, identifying each customer who holds, e.g., a  
10 transaction card, (transferring party) along with  
accompanying beneficiary data, as specified by that  
customer, is written into the device records associated  
with the device code of that specific transaction card.  
Thereafter, the customer actually initiates a transfer  
15 of a particular amount of money from that customer to  
his (her) beneficiary, using, for example, a  
transaction card.

A more particular aspect of the invention is  
20 directed to a technique for transferring money between  
a customer and a beneficiary via a system comprising a  
money-transfer company, and a plurality of selling  
agents and paying agents. The money-transfer company  
maintains a host computer, a database storage device,  
25 and a communications interface for communicating, via a  
telephone network and/or the Internet, with data  
terminals or client computers located at the selling  
and paying agents' sites. Customer transaction cards,  
distributed to customers by the selling agents, contain  
30 a visible card number and an alphanumeric card code  
stored in a magnetic strip. By customer request, the



money-transfer company activates the customer's transaction card and at the same time loads the customer and beneficiary information into a corresponding transaction card record stored in the database storage device. A selling agent initiates a money-transfer request from a data terminal by keying in a money amount and swiping the customer's card in a magnetic strip reader located on the data terminal. Upon receiving the money amount and the customer's card code, the company creates a corresponding transaction record in the database storage device and returns a fund-pick-up number ("folio" number) to the customer. The customer discloses the fund-pick-up number to the beneficiary. Using the fund-pick-up number and appropriate personal identification, the beneficiary collects the transferred money from a paying agent. The customer can subsequently re-use the transaction card to request subsequent money transfers, in any amount, to the same beneficiary, each transfer being accorded a different and unique folio number.

A further aspect of the invention involves a method of transferring a sum of money from a customer to a beneficiary via a money-transfer company, a network of money dispensing machines and a plurality of distributors of money pick-up devices and corresponding personal codes capable of selective operation of the money dispensing machines. The method includes the steps of collecting the sum of money, via the money-transfer company, from a customer for transfer to a beneficiary; providing the beneficiary with a unique

device pick-up code; presenting the unique device  
pick-up code to one of the distributors; activating one  
of the money pick-up devices and generating a  
corresponding personal code, via the distributor and  
5 the money-transfer company, in response to the step of  
presenting the unique device pick-up code to one of the  
distributors; giving the beneficiary an activated one  
of the money pick-up devices and a corresponding  
personal code; and operating one of the money  
10 dispensing machines to collect the sum of money via the  
beneficiary using the activated money pick-up device  
and the corresponding personal code.

Still a further aspect of the invention  
15 involves a method of transferring a sum of money from a  
customer to a beneficiary via a money-transfer company,  
a network of ATMs (automatic teller machines) and a  
plurality of distributors of ATM cards and  
corresponding ATM PINs (personal identification  
20 numbers). The money-transfer company collects a sum of  
money from a customer for transfer to a beneficiary.  
The beneficiary is provided with a unique pick-up code  
for getting an activated ATM card and a corresponding  
PIN from one of the distributors. The beneficiary  
25 presents the unique pick-up code to one of the  
distributors who, in unison with the money-transfer  
company, activates one of the ATM cards and generates a  
corresponding PIN. The distributor gives the  
beneficiary an activated ATM card and a corresponding  
30 PIN. Using the activated ATM card and the corresponding

PIN, the beneficiary operates one of the ATMs to collect the sum of money.

Yet another aspect of the invention includes  
5 a money-transfer system for transferring a sum of money from a customer to a beneficiary. The system includes a network of money dispensing machines capable of dispensing the sum of money in response to operation via a money pick-up device (e.g., an ATM card) and a  
10 corresponding personal code (e.g., a PIN). Also included are a plurality of distributors of the money pick-up devices (ATM cards). A money-transfer company collects the sum of money from a customer for transfer to a beneficiary, and provides the beneficiary with a  
15 unique device pick-up code for allowing the beneficiary to get an activated money pick-up device from a distributor. The money-transfer company activates the money pick-up device by providing the beneficiary with a personal code corresponding to the money pick-up  
20 device and the sum of money. A communication system connects the plurality of distributors to the money-transfer company. The communication system, which may be a PSTN (public switched telephone network) includes distributor identification apparatus for  
25 transmitting a distributor identification signal to the money-transfer company when a distributor initiates communication with the money-transfer company. The distributor identification apparatus may be an ANI (automatic number identification) system for generating  
30 an ANI signal to be transmitted as a distributor identification signal to the money-transfer company.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 depicts a high-level schematic diagram of a money-transfer system 10 in accordance with the present invention;

FIG. 2 schematically illustrates transaction data 27 stored as a set of transaction records T1-Tq for use in the system of FIG. 1;

FIG. 3 schematically illustrates transaction card data 28 as a set of transaction card records C1-Cr for use in the system of FIG. 1;

FIG. 4 depicts a front view of transaction card 95 for use with system 10 shown in FIG. 1;

FIG. 5 depicts a rear view of transaction card 95 illustrated in FIG. 4;

FIG. 6 depicts a flow diagram illustrating a card distribution and activation process 39 which embodies the teachings of the present invention;

FIG. 7 depicts a flow diagram illustrating money-transfer process 100 in accordance with the present invention;

FIG. 8 depicts a flow diagram illustrating fund-pick-up process 130 in accordance with the present invention;

FIG. 9 depicts a high-level block diagram of illustrative client computer 21 located at either a selling or paying agent;

5                   FIG. 10 depicts a high-level block diagram of the software processes utilized by the present invention in a client-server embodiment with PSTN-based communication occurring between an agent and server 11;

10                   FIG. 11 depicts a high-level block diagram of the software processes utilized by the present invention in a client-server embodiment but with web-based communication occurring between an agent and server 11;

15                   FIG. 12 depicts a high-level block diagram of typical server farm 1200 for use in lieu of server 11, shown in FIG. 11, for processing large numbers of simultaneously occurring web-based financial  
20                   transactions;

25                   FIG. 13 depicts a high-level schematic diagram of a money-transfer system for providing fund pick-up capabilities to a beneficiary via an ATM (automatic teller machine) network;

FIG. 14 schematically illustrates ATM card data 1424 stored as a set of ATM card records ATM1-ATMt for use in the system of FIG. 13; and

FIG. 15 depicts a flow diagram illustrating an ATM fund pick-up process for use with the system of FIG. 13.

5           To facilitate understanding, identical reference numerals have been used, where possible, to designate identical elements common to the figures.

DETAILED DESCRIPTION

10

          In general, the money-transfer techniques, described below in detail, enable remotely located selling and paying agents, associated with a money-transfer company, to transfer money from a customer to a beneficiary. A selling agent inputs an amount to be transferred and a customer's transaction code, stored on a passive magnetic "transaction" card via a data terminal that operates either in a stand-alone environment of a selling agent or in conjunction with a client computer co-located thereat. The transaction code corresponds to customer information and beneficiary information stored by the money-transfer agent (i.e., a financial institution). The customer is given a fund-pick-up code (hereinafter also referred to as a "folio" number), which the customer discloses to the beneficiary for use by the latter for claiming the funds at a paying agent.

          Use of a passive transaction card is mainly illustrative. Those skilled in these arts will recognize that the invention is applicable to use with

other articles, such as a so-called "smart card", which can be separately coded for a given user and which permits use of encoded security information stored internal to the article and which can be "swiped" through a reader or electronically or optically scanned to initiate a transaction. However, for ease of understanding and simplicity of the following description, the invention will now be described in the context of use with a credit-card type transaction card.

FIG. 1 illustrates money-transfer system 10 comprising money-transfer company 12 (also referred to as a "financial institution"), "n" selling-agent sites S1-Sn and "m" paying-agent sites P1-Pm (where n and m are integers, typically numbering in the thousands, if not larger). Each of the selling-agent sites S1-Sn includes a conventional data transmit-receive (point of sale -- POS) terminal 14, which comprises standard magnetic strip ("swipe") card reader 15, keypad 16, printer 18, display 17 and an internal modem (not shown). Sites S1-Sn may also comprise client computer 21, preferably a conventional personal computer (PC), to which associated swipe card reader 43 may also be connected, via connection 41 (for simplicity, the above described connection is shown at only one of the selling agents sites, e.g., site S2). The POS terminals and client computers (with or without swipe card readers) are typically stand-alone devices. Client computer 21 includes display 22, keyboard 23, mouse 24 and printer 25. Paying-agent sites P1-Pm also

include client computer 21 having display 22,  
keyboard 23, mouse 24 and printer 25. Client  
computers 21 connect to Internet 30 through  
conventional communications equipment (not specifically  
5 shown). Terminals 14 connect to server 11 via PSTN  
(public switched telephone network) 19. As described  
below, transactions involving any agent can occur  
either over the PSTN or through a web-based Internet  
connection, depending upon the communication facilities  
10 available at that agent. For simplicity, we will  
assume that selling agents utilize either a telephone  
and/or web-based connection, while paying agents  
utilize the latter.

15               Server 11 (which is described in greater  
detail below in conjunction with FIGs. 10-12), located  
at the facilities of financial institution 12,  
comprises computer 31, database 32 and communications  
interface 33. Server 11 connects to PSTN 19 and  
20 Internet 30 via communications interface 33.  
Communications interface 33, which is conventional,  
provides server 11 with a standard modem connection to  
PSTN 19 and generally a full-time dedicated connection  
to Internet 30. Database 32 stores money-transfer  
25 data, including transaction data 27 and transaction  
card data 28 as illustrated in FIGs. 2 and 3,  
respectively. Transaction data 27 comprise a set of  
"q" transaction records T1-Tq. Transaction card  
data 28 comprise a set of "r" transaction card  
30 records C1-Cr.



As shown in FIG. 2, the transaction records T1-Tq comprise the following data in the indicated data fields shown in Table 1 as follows.

5	Field 40 - CARD CODE
	Field 41 - CARD NUMBER
	Field 42 - TRANSACTION NUMBER
	Field 43 - TRANSACTION DATE
	Field 44 - TRANSACTION TIME
10	Field 45 - CONTROL NUMBER
	Field 46 - FUND-PICK-UP NUMBER
	Field 47 - TRANSFERRED AMOUNT
	Field 48 - TRANSACTION FEE
	Field 49 - TOTAL AMOUNT
15	Field 50 - EXCHANGE RATE
	Field 51 - FUND-PICK-UP AMOUNT
	Field 52 - STATUS
	Field 53 - SELLING AGENT (Transaction)
	Field 54 - PAYING AGENT
20	Field 55 - CUSTOMER'S Name, Address, Telephone Number and Currency
	Field 56 - BENEFICIARY'S Name, Address, Telephone Number and Currency
	Field 57 - PICK-UP DATE
25	Field 58 - PICK-UP TIME

TABLE 1 - TRANSACTION RECORD FIELDS

With reference to FIG. 3, the transaction card records C1-Cr comprise the following data in the data fields shown in Table 2 as follows.

5                   Field 60 - CARD CODE  
                  Field 61 - CARD NUMBER  
                  Field 62 - SELLING AGENT (Distribution)  
                  Field 63 - DISTRIBUTION FLAG  
                  Field 64 - ACTIVATION FLAG  
10                  Field 65 - CUSTOMER'S Name, Address,  
                                  Telephone Number and Currency  
                  Field 66 - Beneficiary's Name, Address,  
                                  Telephone Number and Currency

15                   TABLE 2 - TRANSACTION CARD RECORDS FIELD

                  Server 11 initially creates transaction card records C1-Cr by loading a specific CARD CODE and CARD NUMBER into respective fields 60 and 61. In addition,  
20                  DISTRIBUTION FLAG (field 63) and ACTIVATION FLAG (field 64) are initially reset to indicate that the corresponding transaction card 95 is a non-distributed, non-activated card.

25                  As will become clear from the following description and with reference to FIGs. 4 and 5, each of the transaction card records C1-Cn corresponds to a unique transaction card 95. In addition, each of the transaction records T1-Tq (also referred to as a  
30                  "folio") is associated on a 1:1 basis with only one of the transaction card records C1-Cn. However,

transaction card records C1-Cn can be associated (on a k:1 basis where  $k \geq 1$ ) with any number of transaction records T1-Tq.

5                   FIG. 6 illustrates transaction card distribution and activation process 39. Financial institution 12 performs a portion of this process (shown in the left side of this figure). The remainder of process 39 (shown in the right side of this figure)  
10 is performed by each of the selling agents S1, ..., Sn, at its respective site.

Transaction card distribution and activation process 39 begins with acquire-cards step 80. Through  
15 step 80, institution 12 acquires, from a card manufacturer or the like, a number of "generic" transaction cards 95 (see FIGs. 4 and 5) (i.e., "generic" in the sense of not having any customer records or beneficiary data associated therewith).  
20 Transaction cards 95 are preferably durable plastic cards similar, in size, shape and configuration, to a conventional credit card. Each such transaction card is stamped (typically embossed) with card number 96 (see FIG. 4), visible from the card front and  
25 corresponding to a CARD NUMBER (field 61) (see FIG. 3). The back of transaction card 95 includes conventional signature strip 98 and magnetic strip 99. Magnetic strip 99 is encoded with a unique alphanumeric card code corresponding to a CARD CODE (field 60) (see  
30 FIG. 3).

Server 11, at institution 12, initially loads each card number 96 into CARD NUMBER (field 61) and each corresponding magnetically stored card code into CARD CODE (field 60). This can done, most likely, through computer download of the information from, e.g., a card supplier (such as the card manufacturer) to the financial institution at the time a batch of cards is manufactured, by supplying a magnetic tape or diskette (or other media) containing that information for subsequent download by the institution once the cards are delivered to it, or subsequently when the cards are distributed by the selling agents to their respective customers. In addition, for each card 95, computer 31 resets DISTRIBUTION FLAG (field 63), indicating that a selling-agent has not yet received the corresponding transaction card or, in the case of a transaction card record being instantiated when that card is distributed to its customer, the distribution flag is set at the time that record is created. Further, host computer 31 resets ACTIVATION FLAG (field 64), indicating that the corresponding card 95 is a non-activated card.

In distribute-to-agent step 81, institution 12 distributes non-activated transaction cards 95 to a number of selling agent sites S1-Sn. Selling agents distribute one or more non-activated transaction cards 95 to customers, in distribute-to-customer step 85. Since these cards are not activated, the selling agents do not need to distribute the cards in a secure manner.

After receiving cards 95, in step 82, the selling agents transmit card data for each card 95 to server 11, via transmit step 83. Specifically, a selling agent enters the selling agent's ID, via keypad 16, and simply swipes each card 95 through a magnetic strip reader 15 on terminal 14 at the time the cards have been distributed to their respective customers (users). Terminal 14 transmits a card code and the selling agent's ID to server 11, via PSTN 19. For those agents that have Internet access and also a swipe card reader, the information provided by the swipe reader can be routed through the client computer to appropriately populate an "activation" web page provided by a transaction server at institution 12 and then send the data on the populated page to that server for use in updating database 32. In any event, through record-data step 84, server 11 receives the card data and accesses the card record, from card records C1-Cr previously stored in database 32, that corresponds to the received card code. For the retrieved card record, server 11 sets DISTRIBUTION FLAG (field 63), indicating that a customer has received the corresponding transaction card, and loads the selling agent's ID into SELLING AGENT field (field 62).

When a customer first receives a transaction card, that card already has a corresponding record established in database 32. However, the customer cannot use the transaction card 95 until the corresponding card record C1-Cr indicates that the card is activated. Server 11 activates card 95 by setting

5

25

(e.g., U.S. Dollars) are entered into appropriate

locations in the page. In addition, the selling agent enters the beneficiary's name, address, telephone number and currency (e.g., Mexican Pesos). After entering all of the necessary data, the selling agent transmits, in transmit-data step 89, the resulting page through the browser, as an HTTP request, to server 11 (see FIG. 1) at institution 12. This page includes an instruction issued by the agent through depression of or clicking on an associated "button" or other user-activated hypertext field (commonly called a "widget") displayed on that page to activate the corresponding transaction card.

Server 11 receives the HTTP request, in receive-data step 90 (see FIG. 6), and through activate-card step 91, activates the appropriate card record, e.g., transaction card record C1. Specifically, server 11 sets an ACTIVATION FLAG (field 64), and loads the customer's and beneficiary's names, addresses, telephone numbers and currencies in the respective fields 65 and 66.

Thus, at this stage, the transaction card record, e.g., transaction card record C1, which corresponds to the customer's transaction card 95, holds a set of parameters that defines, except for the transaction amount, a unique transaction between a particular customer and a particular beneficiary. Consequently, a selling agent can initiate a money transfer by simply entering a selling agent ID and a

transaction amount, via keypad 16, and then swiping the customer's card 95 in magnetic strip reader 15.

FIG. 7 depicts money-transfer process 100.

5 Institution 12 performs a portion of this process (shown in the left side of this figure), while the selling agents, S1-Sn, performs the steps located in the center of FIG. 7. Finally, the customers wishing to transfer money to a beneficiary perform the steps  
10 located in the right side of FIG. 7.

Money-transfer process 100 commences with customer-request step 101. In step 101, a customer with a previously activated transaction card 95 visits  
15 a selling agent's site, e.g., site S2, to arrange a money transfer to a beneficiary. The customer presents a transaction card 95 to the selling agent and pays the selling agent an amount that includes the amount to be transferred and a transaction fee.

20 In input-data step 102, a selling agent enters money-transfer request data via keypad 16 and magnetic strip reader 15 on terminal 14. Specifically, the selling agent keys in its selling agent ID and a  
25 transaction amount via keypad 16, and then swipes transaction card 95 through magnetic strip reader 15 to enter the card code of that card. In input-data step 102, terminal 14 transmits the selling agent's ID, the amount and the card code to server 11 via PSTN 19  
30 (or, as discussed above, through an appropriate web



page provided by server 11 through an Internet connection).

00000000-00000000

Upon receiving the transaction request, in  
5 receive-data step 103, server 11 creates one of the  
transaction records T1-Tq, e.g., transaction record T1.  
Thus, in create-record step 104, server 11 begins by  
creating unique transaction and control numbers.  
Server 11 then enters the transaction number into  
10 TRANSACTION NUMBER (field 42), the control number into  
CONTROL NUMBER (field 45), the card code into CARD CODE  
(field 40), and the selling agent's ID into SELLING  
AGENT (field 53). In addition, server 11 enters a  
transaction status code, e.g., "OPEN", into STATUS  
15 (field 52), to indicate that the corresponding  
transaction is an open transaction. Further in  
create-record step 104, using the card code received in  
step 103, server 11 searches transaction card  
records C1-Cr for a card record with a matching CARD  
20 CODE (field 60).

Upon finding a match, server 11 copies data  
from the matching transaction card record, e.g.,  
record C1, to the transaction record being created,  
25 e.g., record T1. Specifically, server 11 copies CARD  
NUMBER from field 61 to field 41, CUSTOMER DATA from  
field 65 to field 55 and BENEFICIARY DATA from field 66  
to field 56. Next, computer 31 calculates and enters  
TRANSACTION FEE (field 48), TRANSFERRED AMOUNT  
30 (field 47), FUND-PICK-UP AMOUNT (field 51), using, if  
necessary, EXCHANGE RATE (field 50), and TOTAL AMOUNT

(field 49). Finally, server 11 enters TRANSACTION DATE (field 43) and TRANSACTION TIME (field 44) with the current date and time. Computer 31 leaves blank the PAYING AGENT (field 54), PICK-UP DATE (field 57) and  
5 PICK-UP TIME (field 58), which are filled in when the beneficiary picks up the funds.

If no match occurs or a data error results during execution of create-record step 104, as  
10 determined in decision step 105, server 11 returns an error message to the selling agent in send error message step 106. The selling agent receives the error message, in receive-error message step 107, for display on display 17 (if the terminal is being used) and/or as  
15 an HTML file rendered by the browser executing at client computer 21 (if web access is being used). In those instances where the customer wishes to try again, the process exits the YES path of decision step 108 and returns to request step 101. Otherwise, the process  
20 terminates via a NO path of decision step 108 to end step 109.

If no data errors occurred, then process 100 advances, via a YES path of decision step 105, to  
25 load-record step 113. In load-record step 113, server 11 loads the transaction record created in create-record step 104, e.g., transaction record T1, into database 32. Next, in issue-receipt step 114, server 11 issues a money-transfer receipt in the form  
30 of a data transmission to the selling agent at, for example, selling-agent site S2. Upon receiving the

money-transfer receipt data, the selling agent's terminal 14 prints a transaction receipt via terminal printer 18. In this regard, FIG. 1 shows printer 18 at selling-agent site S2 printing a transaction receipt in the form of printed slip 18'. Printer 18 prints at least two copies of the transaction receipt (printed slip 18'), which the customer signs. The selling agent retains a copy, while giving the customer a copy, in receive-receipt step 119.

10

A preferred transaction receipt contains the following information, as shown in Table 3 below:

15

FINANCIAL INSTITUTION'S

NAME, ADDRESS AND TELEPHONE NUMBER

SELLING AGENT'S

NAME, ADDRESS AND TELEPHONE NUMBER

CARD NUMBER

TRANSACTION NUMBER

20

TRANSACTION DATE

TRANSACTION TIME

CONTROL NUMBER

FUND-PICK-UP NUMBER

IN CUSTOMER CURRENCY (e.g., US Dollars):

25

TRANSFERRED AMOUNT

TRANSACTION FEE

TOTAL AMOUNT

IN BENEFICIARY CURRENCY (e.g., Mexican Pesos):

30

FUND-PICK-UP AMOUNT

EXCHANGE RATE

CUSTOMER'S

NAME, ADDRESS AND TELEPHONE NUMBER

BENEFICIARY'S

NAME, ADDRESS AND TELEPHONE NUMBER

5 CUSTOMER'S SIGNATURE

TABLE 3 - TRANSACTION RECEIPT

10 Upon receiving the transaction receipt in  
receive-receipt step 119, the customer contacts the  
beneficiary in inform-beneficiary step 120. The  
customer informs the beneficiary of the fund-pick-up  
("folio") number and amount, by, for example, a  
15 telephone call, an e-mail message, or a facsimile  
transmission.

FIG. 8 illustrates fund-pick-up process 130.  
Institution 12 performs the steps located in the left  
side of FIG. 8, while each of the paying agents,  
20 at P1-Pm, performs the steps located in the center of  
FIG. 8. Finally, the beneficiary performs the steps  
located in the right side of FIG. 8.

In claim-funds step 131, a beneficiary claims  
25 funds from a paying agent by presenting a folio number  
and proper personal identification, preferably a photo  
ID such as a driver's license, passport, etc. After  
reviewing the customer's identification, in review-ID  
step 132, the paying agent uses the folio number to  
30 access a copy of the corresponding transaction record,  
e.g., transaction record T1, from institution 12.

Specifically, using Internet 30 and the paying agent's client computer 21, in input step 133, the paying agent establishes an Internet connection to server 11 to obtain a "payment" page. Through this page, the agent  
5 enters the folio number that the beneficiary provided.

The paying agent transmits, through its browser and as an HTTP request, the request in access-record step 134. Server 11 responds, via  
10 Internet 30, in transmit-record step 135 with a web page providing payment authorization, including the amount to be paid and the currency in which payment is to be made, and the name and address of the beneficiary to whom this amount is to be paid. Specifically, a web  
15 page containing a copy of the data stored in the corresponding transaction record is displayed on the paying agent's monitor 22. The paying agent, in decision step 136, confirms the validity of the money transfer using the beneficiary's identification and  
20 transaction data 27 displayed on monitor 22. If the beneficiary's identification matches the displayed transaction data 27 for the corresponding transaction record, e.g., transaction record T1, the paying agent authorizes payment of the amount displayed in  
25 FUND-PICK-UP AMOUNT (field 51).

Upon authorizing payment, the paying agent requests, by clicking or depressing an appropriate widget on the payment page, that server 11 issue a  
30 payment receipt, in request-receipt step 137. If the paying agent finds that the beneficiary's

identification does not match the transaction data 27,  
in decision step 136, the paying agent refuses the  
payment and so informs the beneficiary. Process 130  
then ends through step 140.

5

After receiving a request for a payment  
receipt, in receive-request step 138, server 11 loads  
payment data into the corresponding transaction record,  
here transaction record T1, in load-data step 142 in  
10 database 32 to effectively "close-out" the transaction.  
Specifically, server 11 enters a payment code, e.g.,  
"PAID", into STATUS (field 52), indicating that the  
funds were paid. In addition, server 11 enters a date  
into PICK-UP DATE (field 57), a time into PICK-UP TIME  
15 field (field 58) and a paying agent's ID into PAYING  
AGENT field (field 54).

Server 11 next issues a payment receipt, in  
issue-receipt step 143. In particular, server 11  
20 transmits the following data (listed in table 4 below)  
in the form of a displayed web page, which, through the  
agent's browser, is displayed on the paying agent's  
monitor 22.

25

FINANCIAL INSTITUTION'S

NAME ADDRESS AND TELEPHONE NUMBER

PAYING AGENT'S

NAME, ADDRESS AND TELEPHONE NUMBER

PICK-UP DATE

30

PICK-UP TIME

CONTROL NUMBER



5

10

20

25

30



information, as per user command, with floppy  
diskettes, and non-volatile mass store 960 that is  
implemented through a hard disk, typically magnetic in  
nature. Mass store 960 may also contain a CD-ROM or  
5 other optical media reader (not specifically shown) (or  
writer) to read information from (and write information  
onto) suitable optical storage media. The mass store  
stores operating system (O/S) 963 and application  
program 967; the latter implementing client processing  
10 used in the present invention. O/S 963 may be  
implemented by any conventional operating system, such  
as the WINDOWS NT operating system ("WINDOWS NT" is a  
registered trademark of Microsoft Corporation of  
Redmond, Washington). Given that, we will not discuss  
15 any components of O/S 963 as they are all irrelevant.  
Suffice it to say, application program 967 executes  
under control of the O/S.

Incoming information can arise from two  
20 illustrative external sources: network supplied  
information, e.g., from Internet 30 and/or other packet  
networked facility, through network connection 935 to  
communications interface 930, or from a dedicated input  
source, via path(es) 905, to input interfaces 910.  
25 Here, dedicated input can arise from swipe card  
reader 43, in those agent sites that employ both that  
reader and a client computer for accessing server 11  
(see FIG. 1) through an Internet connection.

30 Input interfaces 910 contain appropriate  
circuitry to provide necessary and corresponding

electrical connections required to physically connect and interface card reader 43 (as well as any other dedicated input devices, not shown) to client computer 21. Under control of the operating system, application program 967 may exchange commands and data, via network connection 935 to server 11, or path(es) 905 with terminal 14, to transmit and receive information, to the extent needed, during transaction processing.

Input interfaces 910 also electrically connect and interface user input device 980, such as keyboard 23 and mouse 24, to the client computer. Display 22, such as a conventional color monitor, and printer 25, such as a conventional laser printer used as a transaction printer, are connected, via leads 973 and 975, respectively, to output interfaces 970. The output interfaces provide requisite circuitry to electrically connect and interface the display and printer to the computer system.

Furthermore, since the specific hardware components of client computer 21 as well as all aspects of the software stored within memory 950, apart from the various software modules, as discussed below, that implement the present invention, are conventional and well-known, they will not be discussed in any further detail.

As noted above, the present invention is susceptible of implementation in a client-server

environment where either or both a selling and paying agent utilize client computer 21 to access server 11, either through a dial-up telephonic connection or an Internet web-based connection.

5

In that regard, FIG. 10 depicts a high-level block diagram of the software processes utilized by the present invention in a client-server embodiment with PSTN-based communication occurring between an agent and server 11. The same basic methodology described below in connection with this figure applies to use of a POS terminal, e.g., terminal 14, in lieu of a client PC.

As shown, application program 967 executing within client computer 21 contains client transaction process 1010, card reader interface process 1020 and communication (COMM) process 1030. The client computer, when accessing server 11 at the financial institution, establishes a dial-up circuit-switched connection, through local modem 1040, communication line 1045, PSTN 19 and communication line 1055, to peer modem 1060 situated within the financial institution and connected to server 11. Though server 11 may utilize quite a number of modems in order to handle a relatively large number of transactions involving quite a number of different agents, for purposes of simplifying this figure (as well as FIG. 11 which is discussed below), I will discuss this figure (as well as FIG. 11) in the context of just one transaction.

When an agent desires to initiate a transaction, whether it is a selling agent seeking to activate a transaction card for a customer or initiate a money transfer from the customer to his(her) designated beneficiary, or a paying agent seeking to access a transaction record and to effect a payment to a beneficiary, that agent first initiates execution of client transaction process 1010. This process performs all client transaction processing for both card activation (i.e., sales), money transfer initiations and beneficiary payment.

Generally speaking, for card activation, process 1100 obtains card data through card reader 43, which is connected to client computer 21, queries the agent for and obtains other transaction data through direct keyboard entry, locally displays transaction data on a local monitor, and exchanges transaction data, via communication process 1030, with server 11. Process 1010 may also obtain transaction data from other peripheral input devices (conventional and not shown) that might be used to obtain transaction data from the agent. For a payment transaction, this process requires obtaining a folio number from the beneficiary, through manual keyboard entry by the agent, using the folio number to retrieve an associated transaction record data from server 11 and exchanges payment information with the server regarding the status of the payment, e.g., to "close-out" the transaction in the event of a payment to an authorized beneficiary.

In particular, prior to the start of any transaction, e.g., when process 1010 begins executing or after it has completed a transaction, it displays a transaction start screen display on the local monitor for the agent's use. This screen display contains appropriate instructions as well as a conventional soft-selection field for the agent to indicate whether (s)he wants to initiate a card activation or a payment transaction. Should the agent signify a card activation transaction, process 1010 then displays an appropriate data entry screen containing a data entry field for the transaction card number (card data). This number can be entered manually by the agent or alternatively, through card reader interface process 1020, by the agent simply swiping the transaction card of the customer through the card reader 43 when instructed to do so by the screen display. The resulting card data is captured by process 1020 and supplied to client transaction process 1010. Thereafter, process 1010, through communication process 1030, establishes a dial-up connection, through modem 1040, to server 11 situated at the financial institution. Once this connection is established, process 1010 transmits the card number and transaction type (here, card activation) to server 11. This server, in turn, accesses, through its internal transaction server 1070, which, in turn and operating in conjunction with database manager 1075, accesses the corresponding transaction card record from transaction database 32. If this record exists, i.e., the card is valid, transaction server 1070 transmits a suitable

access-successful/activation-start message back to client computer 21 and specifically to client transaction process 1010 executing thereat. In response to this message, process 1010 displays a transaction template containing various fields through which the agent queries the customer for customer and beneficiary information, as delineated above. Once the agent signifies, again through use of an appropriate soft-selection key, that all the information is entered, process 1010 then transmits this information through the dial-up connection, then existing between client computer 21 and server 11, and particularly to transaction server 1070 situated within server 11. Upon receipt of this information, server 1070 updates the transaction card record for this transaction card with the information supplied by the agent and also updates the card record to signify that that particular transaction card is now activated and ready for subsequent use in transferring funds between the customer and his(her) designated beneficiary. Once the transaction card record has been so updated and the card activated, transaction server 1070 broadcasts a suitable card-activated/complete message back to client computer 21, and specifically to client transaction process 1010. Process 1010 provides a visual notification to the agent that the card is now activated, who, in turn, can appropriately notify the customer.

Should the agent select a money transfer initiation instead of a card activation, process 1010

displays an appropriate data entry screen to prompt the agent to enter a transaction card number, either manually or by swiping a transaction card then presented by a customer. Once this number is obtained, process 1010 again establishes a dial-up connection to server 11 and within this server to transaction server 1070. After this connection is established, process 1010 transmits the card number and transaction type (here, card activation) to server 1070 which, in turn, accesses the transaction card record for this customer and, if the card number is valid, transmits, within a money-transfer/start message, the customer and beneficiary information in this record back to the client transaction process 1010. In response to this information, process 1010 displays an appropriate display screen containing monetary fields, both in terms of a payment amount and a currency. The agent asks the customer for the amount of the payment to be made. This information, as supplied by the customer, is then manually entered by the agent into the client computer and displayed by process 1010 in the display screen, and then, once confirmed by the agent, communicated, in a suitable money-transfer/amount message, to the transaction server. In response, the transaction server specifies the transaction fee for the transfer and transmits this amount, in a money-transfer/total-amount message, back to the client transaction process 1010. Once the agent has collected the proper amount of funds from the customer, the agent completes initiation of the transaction by confirming the transaction to the client computer, again through

depression of an appropriate soft-key. In response,  
process 1010 transmits this confirmation, as a  
money-transfer/confirm message, to the server,  
specifically transaction server 1070, which, in turn,  
5 creates a corresponding transaction record, within  
database 32, for this card and the customer and  
his(her) beneficiary, in the manner described above and  
populates that record with information pertinent to  
that particular transaction. Once this occurs, the  
10 transaction server supplies transaction information,  
through a money-transfer/accept message, back to  
process 1010 with an instruction to print a two-part  
transaction receipt, as shown in Table 3 above, for the  
customer to sign and which provides the folio number  
15 for this transaction.

To effectuate payment to a beneficiary,  
process 1010, through selection of this particular type  
of transaction, displays a different display screen  
20 through which the agent asks the beneficiary for a  
folio number. As discussed above, this number is  
unique to each transaction. Once the beneficiary  
provides this number to the agent, the agent completely  
enters it and process 1010 locally displays it on  
25 monitor 22, the agent then instructs process 1010,  
again through depression of an appropriate soft-key to  
establish a dial-up circuit switched connection,  
through communication process 1030 and modem 1040, to  
server 11, and then to transmit a payment transaction  
30 initiation message containing this folio number and a  
transaction type (here, payment) to transaction



server 1070. In response to this number, server 1070 accesses database 32 to locate a transaction record bearing this folio number. Once this record is located and accessed, server 1070 transmits payment and  
5 beneficiary information, within a payment-info message, back to client transaction process 1010. Process 1010 then displays this information on monitor 22. At this point, the paying agent requests personal  
10 identification from the beneficiary. If the agent is satisfied by the identification, the agent confirms the transfer through client process 1010, again through depression of an associated soft-key. In response to this confirmation, process 1010 sends a payment-confirm  
15 message to transaction server 1070 which, in turn, updates, in the manner described above, the transaction record for this transaction to signify that payment was made and hence the transaction is "closed-out". Once  
20 this update occurs, server 1070 sends, via a payment-receipt message, an instruction back to client transaction process 1010 to print a two-part transaction receipt, containing the information shown in Table 4 above, for the beneficiary to sign prior to actual receipt of the transferred funds.

25 To provide increased security against third-party interception, client process 1010 and transaction server 1070 can each employ appropriate cryptographic processing, such as, e.g., public key cryptography (where each agent is assigned a different  
30 public/private key pair by the financial institution with that pair being programmed into application

program 967 used by that agent), or symmetric-key cryptography. With public key cryptography, the transaction server uses a public key assigned to a given agent for encrypting transaction information destined to the client computer used by that agent, while that agent uses his(her) own secret key for decrypting messages it so receives from the server. The server utilizes its own public-private key pair in a similar manner. With a symmetric key, the same key is used for both encryption and decryption and is kept secret and secure by both the client computer and the transaction server.

FIG. 11 depicts a high-level block diagram of the software processes utilized by the present invention also in a client-server embodiment but with web-based communication between an agent and server 11.

Here, web browser 1110 takes the place of client transaction process 1010 shown in FIG. 10; financial institution 12 contains a web server (composed of HTTP server 1170 and transaction server 1180) rather than just transaction server 1070 alone. Since the basic client-server transaction processing, apart from the use of web-based messaging, for card activation, money transfer initiation and payment, is essentially identical to that described above in conjunction with FIG. 10, those details will be omitted here.

Rather than a telephonic connection, as shown in FIG. 10, the system shown in FIG. 11 relies on client computer 21 establishing a bi-directional network connection through Internet 30 to server 11.

5 This connection occurs through conventional near-end communication device 1140 (which may be, e.g., a modem, but is not so limited), local Internet Service Provider (ISP) 1145, Internet 30 and far-end ISP 1150 (which serves the financial institution) and ultimately  
10 far-end communication device 1155 (which may be, e.g., a router or other device that provides a packet interface to a persistent Internet connection). Server 1180 contains conventional firewall computer 1160, HTTP server 1170 and transaction  
15 server 1180. Transaction server 1180 is essentially the same as server 1070 shown in FIG. 10, and hence will not be described any further. Firewall 1160 serves to filter incoming packet communication to server 1180 and, by doing so, significantly frustrate  
20 unauthorized access to the transaction server.

Rather than transmitting messages containing transaction data, server 11, specifically transaction server 1180, downloads HTML files containing web page  
25 templates which, upon receipt and processing by web browser 1110, are locally displayed to the agent. The agent then enters the information, prompted by various data entry fields in each page, and, through the browser, transmits HTTP requests containing the  
30 information back to the server. The agent can also specify the type of transaction desired to the

transaction server through appropriate interaction,  
such as mouse clicks over corresponding display  
"widgets", with an initial (or home) and/or other web  
page(s) supplied by server 1180, as well as provide  
5 other transaction instructions and/or confirmations to  
transaction server 1080.

HTTP server 1170 implements a hypertext  
transfer protocol (HTTP) which is used, by both  
10 browser 1110 and transaction server 1180, to transport  
messages, here financial information and related  
instructions, over the Internet between the browser and  
server 1180. Both browser 1110 and HTTP Server 1170  
implement both sides of this protocol, including packet  
15 encapsulation (assembly) as well as packet  
dis-assembly. In addition, this server through the use  
of conventional HTTP GET and POST messages issued by  
the browser or server manages information flow between  
browser 1110 and transaction server 1180 to either, as  
20 requested by the browser or the transaction server,  
supply information from database 32 to the browser for  
local display thereat or update this database with  
information supplied by the browser.

25 A transaction card number for a customer can  
also be supplied through card reader 43, by the agent  
swiping the card, but with card reader interface  
process 1130 supplying that information to  
browser 1110. Browser 1110 can be modified, in a  
30 manner readily apparent to those skilled in the art,  
through addition of, e.g., an appropriate

JAVA-implemented routine to properly interact with process 1130 and therethrough obtain transaction card data from card reader 43.

5                   For added security, transaction messages may  
be protected, through encryption, using conventional  
SSL (secure socket library) based cryptography in  
conjunction with HTTP. At the start of a session  
(here, a transaction session between client computer 21  
10 and server 11), SSL undertakes client-server  
negotiations to negotiate a particular session key and  
a cryptographic algorithm, such as an RSA public-key  
cryptosystem, for both the client and server to use  
during that session. Once the negotiations conclude,  
15 the remaining messages are so encrypted, and  
communicated in encrypted form, via HTTP packets,  
during that session using the negotiated key and the  
algorithm. This encryption and decryption would be  
handled by browser 1110 and, e.g., HTTP server 1180.  
20 SSL is currently used, on a widespread basis, for  
providing security for Internet-based credit card  
transactions. Advantageously, SSL does not encrypt  
HTTP transport layer (i.e., TCP port numbers) fields  
hence allowing use of load balancing servers (as shown  
25 in FIG. 12) at the financial institution to distribute  
transaction traffic to a given server. For further  
information on SSL, the reader is directed to, e.g.,  
pages 279 and 474-475 of D. Atkins et al, Internet  
Security - A Processional Reference, (© 1996, New  
30 Riders Publishing Co.).

006080-025530

FIG. 12 depicts a high-level block diagram of typical server farm 1200 for use in lieu of server 11 for processing large numbers of simultaneously occurring financial transactions.

5

Here, rather than utilizing just one transaction server 1180, as shown in FIG. 11, server farm 1200, shown in FIG. 12, contains multiple HTTP servers 1170<sub>1</sub>, 1170<sub>2</sub>, ..., 1170<sub>x</sub>, and corresponding transaction servers 1180<sub>1</sub>, 1180<sub>2</sub>, ..., 1180<sub>x</sub>. To provide secure server connectivity, communication device 1155 is connected to conventional firewall 1160 (though of larger capacity than that shown in FIG. 11, but otherwise identical in function). The firewall, in turn, is connected, as shown in FIG. 12, to load balancing server 1210 which distributes each new financial transaction to a then lightest-loaded HTTP server and transaction server pair in the server farm that is then available to process that transaction. Database 32 permits concurrent access by all the individual transaction servers. However, appropriate and conventional database locking mechanisms are used by the database managers (not shown) in the transaction servers to prevent inadvertent data corruption that would otherwise result from multiple simultaneous accesses being made, by multiple transaction servers, to the same record in the database.

The invention contemplates numerous variations and modifications that will be apparent to those skilled in the art in view of the above

description. For instance, card activation and distribution may occur in a number of suitable ways. As described above with respect to card distribution and activation process 39, before giving a customer a transaction card, a selling agent swipes the card in magnetic strip reader 15 (see transmit-data step 83 in FIG. 6). At that point, money-transfer system 10 learns of the existence of that card. In response, server 11 creates a record in database 32 (see record-data step 84). As an alternate procedure, institution 12 could simply record the cards as generic cards with no designation of a selling agent's ID in SELLING AGENT field (field 53). Institution 12 could also load the selling agent's ID into SELLING AGENT (field 53) before distributing transaction cards to the selling agents.

The invention also contemplates that, rather than having a selling agent participate in the card activation process, e.g., via steps 86-90, institution 12 could utilize customer service representatives (CSR) for that purpose. When using a CSR, a customer with a non-activated card 95 could telephone a card center at institution 12 and read the card number 96 from the front face of card 95 to a CSR. Using card number 96, the CSR would then access the record for the corresponding transaction card, e.g., record C1, through server 11. The CSR would then ask the customer to provide the customer and beneficiary information (and possibly, the selling agent's ID), which the CSR loads into CUSTOMER DATA (fields 56) and

BENEFICIARY DATA (fields 57) (and possibly, SELLING AGENT (field 54). In addition, the CSR would set DISTRIBUTION FLAG (field 54) and ACTIVATION FLAG (field 55) at this time.

5

To assist with security, institution 12 may issue secret personal-identification numbers (PINs) to selling agents and their employees. Thus, when a selling agent initiates a transaction on behalf of a customer (see input-data step 102 in FIG. 7), institution 12 may require a selling agent to enter two numbers. For example, a selling agent might be required to enter, via keypad 16, a selling agent PIN and an employee PIN, to differentiate different employees working for the same selling agent. Requiring entry of PINs could increase the difficulty of operating data terminal 14 on an unauthorized basis. Alternatively, each such terminal could be fitted with a processor programmed to store and automatically transmit an agent's ID, PIN and/or a terminal tracking number, whenever a data transmission occurs.

As a security measure and as a possible marketing inducement, selling agents may provide customers with a telephone PIN when initiating a transaction. The customer would then have the option of using the telephone PIN to promptly make a toll-free call to the beneficiary from the selling agent's site. It is felt that prompt disclosure of a folio number and an amount to a beneficiary would enhance security as



well as provide additional convenience to the beneficiary.

5       The above illustrative description shows a  
single beneficiary listed for each transaction card 95.  
However, cards 95 may also be issued with more than one  
beneficiary. A selling agent may select, via  
10       keyboard 16, whether one, more or all of the recorded  
beneficiaries are to pick-up or otherwise receive the  
funds. In fact, the appropriate transaction card  
record C1-Cr may name the customer as one of the  
beneficiaries or the only beneficiary. In that case, a  
customer, who may be traveling to a distant location,  
would not need to carry a large amount of cash or  
15       traveler's checks. A traveler could arrange to have a  
folio number available to collect money in a local  
currency upon arrival at a foreign location.

20       Because security is normally a critical issue  
in money-transfer systems, other, more secure, payment  
methods may be desirable. For example, rather than  
physically delivering cash to a beneficiary, a paying  
agent may electronically credit the delivered funds to  
a beneficiary's bank account for subsequent access, in  
25       a "piece-meal" fashion, if desired, by the beneficiary.  
Alternatively, a paying agent's printer 25 may print a  
check, in favor of the beneficiary, at the time that  
the payment receipt prints (see print-receipt step 145  
in FIG. 8). Still further, paying agents may make the  
30       funds available to a beneficiary through a conventional

ATM (automatic teller machine) network in a manner described below with respect to FIGs. 13-15.

FIG. 13 illustrates ATM fund-pick-up system 1300, which functions as a money-transfer system by making funds available to a beneficiary via a network of conventional money dispensing machines, such as ATMs 1301-1303 associated with ATM network 1304. ATM fund-pick-up system 1300 comprises a money-transfer company in the form of financial institution 12, which is associated with "s" ATM card distributor sites A1-As (where "s" is an integer, typically numbering in the thousands or more).

ATM card distributor sites A1-As include conventional dual-tone, multiple frequency (DTMF) telephones 1310-1312, respectively, for communicating with server 11 via PSTN 19 and the communications interface 33 located at financial institution 12. In addition to the components shown in FIG. 1 (viz., communications interface 33, computer 31 and database 32), financial institution 12 of FIG. 13 also comprises operator telephone system 13, which connects to computer 31. For reasons that will become clear from the following description of FIG. 15, operator telephone system 13 comprises conventional telephone equipment that allows one or more customer service representatives (CSR's) to communicate with ATM card distributor sites A1-As via server 11 and PSTN 19. In addition, a conventional ANI (automatic number identification) system 1305 connects to PSTN 19 for

generating an ANI signal (identifying the telephone number, name, and other data of a calling party), which PSTN 19 automatically transmits to a called party, such as financial institution 12.

5

ATM fund-pick-up system 1300 uses conventional ATM cards 1306, along with a personal code or PIN (personal identification number), as money pick-up devices for use by beneficiaries when operating  
10 ATMs 1301-1303. Financial institution 12 initially sends conventional, non-activated ATM cards 1306 to ATM card distributors located at ATM card distributor sites A1-As. With reference to FIGs. 13 and 14, financial institution 12 stores ATM card data 1424 in  
15 database 32. ATM card data 1424 comprise ATM card records ATM1-ATMt (where "t" is the number of ATM cards 1306 produced). Each of the conventional ATM cards 1306 includes a unique ATM card number (typically a sixteen digit number) that is visibly printed or  
20 embossed on the face of each ATM card 1306. In addition, each ATM card 1306 includes a corresponding unique ATM card code in the form of an alphanumeric code that is magnetically stored in a conventional magnetic strip located on the rear surface of the ATM  
25 card 1306.

For convenience in maintaining an ATM card inventory, financial institution 12 may forward the ATM cards to ATM card distributors in large batches in  
30 which the ATM card numbers are serially arranged. However, to discourage fraud and/or make fraud attempts

more difficult, the corresponding ATM card codes stored in the magnetic strips are randomly or quasi-randomly arranged. Financial institution 12 creates records of the ATM codes and numbers before distributing ATM cards 1306.

Server 11 initially creates each ATM card record ATM1-ATMt by having computer 31 load a specific ATM CARD NUMBER and its corresponding ATM CARD CODE into respective fields 1425 and 1426. In addition, ACTIVATION FLAG (field 1431) and VALID FLAG (field 1432) are initially reset to indicate that the corresponding ATM card is a non-activated, valid ATM card. When sending a batch of ATM cards 1306 to a specific ATM card distributor, financial institution 12 will first have computer 31 load appropriate ATM card data 1424 into those ATM card records ATM1-ATMt that correspond to the specific batch of ATM cards being forwarded. Specifically, computer 31 writes a particular distributor's identification into DISTRIBUTOR ID (field 1427), e.g., the distributor's name, address, PIN, etc., and that distributor's telephone number in DISTRIBUTOR TELEPHONE NUMBER (field 1428) for each of the ATM card records ATM1-ATMt associated with the batch being forwarded. Thus, ATM card data 1424 represents an inventory of all ATM cards that financial institution 12 has sent to ATM card distributors.

FIG. 15 illustrates the operation of ATM fund-pick-up system 1300 and the details of the

corresponding ATM fund-pick-up process 1500. Financial institution 12 performs a portion of the FIG. 15 process (shown in the left side of the figure), while ATM card distributors at sites A1-As perform the steps located in the center of FIG. 15. Finally, the beneficiary wishing to obtain an activated ATM card 1306 for use in collecting the transferred funds performs the steps located in the right said of FIG. 15.

10

As described above with respect to FIG. 7, a customer who requests that money be transferred to a beneficiary (see customer-request step 101 in FIG. 7) receives a fund-pick-up number (see field 46 in FIG. 2 and the transaction receipt depicted in Table 3). In inform-beneficiary step 12 (see FIG. 7), the customer informs the beneficiary of the appropriate fund-pick-up number, also referred to as a "folio" number. In the present embodiment, the fund-pick-up number acts as a device pick-up code for use by the beneficiary when getting a money pick-up device, such as an ATM card 1306, from one of the distributors 1310-1312.

20

ATM fund-pick-up process 1500 begins with request-card step 1501 in which a beneficiary with a fund-pick-up number visits one of the ATM card distributor sites, say site A2, and requests that he/she be given an activated ATM card 1306. In response, the ATM card distributor places a telephone call to financial institution 12 via a DTMF telephone, say telephone 1311, in call-institution step 1502.

25

30

Communications interface 33 receives the call and connects it to computer 31, which has been loaded with a conventional ANI (automatic number identification) recognition routine. As will be seen below in detail, financial institution 12 uses the ANI signal as a distributor identification signal to verify that a request to activate a particular ATM card 1306 is being communicated from the DTMF telephone belonging to the distributor that originally received the ATM card 1306 in question.

In decision step 1503, computer 31 processes the telephone call by first looking for a valid ANI signal. If the ANI signal is "unknown", "blocked" or otherwise indeterminable, process 1500 exits decision step 1503 via the "NO" path causing computer 31 to connect the call to operator telephone system 13, in connect-operator step 1504. In response, a CSR (customer service representative) gives operator assistance, in operator-assisted process step 1505, which may include manual activation, rejection and/or invalidation of an ATM card 1306 by the CSR.

On the other hand, if computer 31, in decision step 1503, recognizes that the ANI signal contains a "valid" telephone number, process 1500 exits decision step 1503 via the "YES" path to request step 1506. In request step 1506, server 11 transmits an audio request to the ATM card distributor to punch-in an ATM card number on the keypad of the distributor's DTMF telephone. After receiving the request in receive

step 1507, the ATM card distributor selects an ATM card 1306 from inventory and keys-in the corresponding ATM card number, in send step 1508, using the keypad of the distributor's DTMF telephone.

5

Next, computer 31 receives the transmitted ATM card number and invokes decision step 1509 to determine whether or not ATM card records ATM1-ATMt show that the ATM card 1306 in question was one that financial institution 12 originally sent to the ATM card distributor involved. Specifically, in decision step 1509, computer 31 uses the transmitted ATM card number to search fields 1425 (ATM CARD NUMBER) in ATM card records ATM1-ATMt for a match with the transmitted ATM card number. When a matching record is found, say ATM card record ATM2, computer 31 compares the received caller-ID telephone number (see decision step 1509) with the telephone number contained in field 1528 (DISTRIBUTOR TELEPHONE NUMBER) for ATM card record ATM2. If, in decision step 1509, computer 31 finds that these telephone numbers match, computer 31 reads fields 1431 and 1432 to see if these fields each are in a reset state, indicating respectively that the corresponding ATM card 1306 has not yet been activated and is a valid card. If, in decision step 1509, computer 31 finds a positive match with respect to fields 1525, 1528, 1531 and 1532, as described above, process 1500 proceeds to request step 1510 via the "YES" path of decision step 1509.

However, if, in decision step 1509, computer 31 finds a negative match for any of the fields 1525, 1528, 1531 and 1532, as described above, process 1500 proceeds to connect-operator step 1504 via the "NO" path of decision step 1509. Again, a CSR will give operator assistance, in operator-assisted process step 1505, which may include operator activation, rejection and/or invalidation of the ATM card 1306 in question.

10

In request step 1510, server 11 transmits to the ATM card distributor an audio request, asking the distributor to punch-in the fund-pick-up number that the beneficiary provided when requesting an ATM card 1306. After receiving the request in receive step 1511, the ATM card distributor keys-in the fund-pick-up number, in send step 1512, using the keypad of the distributor's DTMF telephone.

15

Computer 31, after receiving the transmitted fund-pick-up number, invokes decision step 1513. Using the transmitted fund-pick-up number, computer 31 searches transaction data 27 (see FIG. 2) in database 32 to locate the corresponding transaction.

20

Specifically, computer 31 searches fields 46 (FUND-PICK-UP NUMBER) in transaction records T1-Tq for a match with the fund-pick-up number punched-in by the ATM card distributor. When a matching transaction record is found, say transaction record T2, computer 31 reads the corresponding STATUS (field 52). If

25

30

computer 31 finds that the transaction is an open transaction, i.e., field 52 for transaction record T2



contains the code "open", meaning that the beneficiary's fund-pick-up number is a "valid" number, process 1500 proceeds to update step 1514 via the "YES" path of decision step 1513. However, if, in decision  
5 step 1513, computer 31 finds the beneficiary's fund-pick-up number to be invalid, e.g., the number does not exist, or is associated with a "closed" or "canceled" transaction, etc., process 1500 proceeds to connect-operator step 1504 via the "NO" path of  
10 decision step 1513. Again, a CSR will give operator assistance, in operator-assisted process step 1505, which may include manual activation, rejection and/or invalidation of the ATM card 1306 in question.

15 In update step 1514, computer 31 updates the data contained in the appropriate ATM card record, say ATM card record ATM2. Specifically, computer 31 first sets ACTIVATION FLAG (field 1432), indicating that the corresponding ATM card 1306 is an activated card.  
20 Second, computer 31 copies the corresponding transaction number to the appropriate ATM card record. Specifically, computer 31 copies the contents of field 42 (TRANSACTION NUMBER) of, say, transaction record T2 (see FIG. 2), to field 1430 (TRANSACTION  
25 NUMBER) of, say, ATM card record ATM2. Third, computer 31 retrieves an unused PIN from a beneficiary PIN lookup table located in database 32. Computer 31 loads the unused PIN into field 1429 (BENEFICIARY PIN).

30 After updating the appropriate ATM card record, ATM fund-pick-up process 1500 proceeds to send

step 1515. In send step 1515, server 11 transmits to the appropriate ATM card distributor an audio message revealing the beneficiary PIN that is to be used with the ATM card 1306 being activated. In give-card/PIN  
5 step 1516, the ATM card distributor gives the beneficiary the activated ATM card 1306 and the corresponding PIN. Next, in collect step 1517, the beneficiary uses the activated ATM card 1306 and its corresponding PIN to collect the transferred funds from  
10 an ATM, say ATM 1302, as if the beneficiary were using a conventional bank ATM card to withdraw funds from a bank. ATM network 1304 uses the PIN and the ATM code, read from the magnetic strip on ATM card 1306, to access records (e.g., ATM card records, transaction  
15 records, etc.) from financial institution 12 via communications interface 33. These records are updated in real time as ATM transactions are generated and paid by ATM network 1304.

20 Various modifications of the ATM payment technique described above with respect to FIGs. 13-15 are contemplated and may be resorted to by those skilled in the art. For instance, server 11 may be equipped with a speech recognition system that would  
25 allow an ATM card distributor to respond with voiced messages to data requests made in request steps 1506 and 1510 (see FIG. 15). While the above description relates ATM fund-pick-up process 1500 to the money-transfer techniques disclosed with respect to  
30 FIGs. 1-12, process 1500 is also applicable to other money-transfer systems that provide a beneficiary with

a fund-pick-up number or other secret code to collect funds at a remote location.

In addition, it is noted that in ATM  
5 fund-pick-up process 1500, a valid fund-pick-up number  
is the sole means of identification used by a  
beneficiary when obtaining an activated ATM card 1306.  
As such, the invention contemplates that financial  
institution 12 will inform the customer that it is the  
10 responsibility of the customer and the beneficiary to  
keep the fund-pick-up number secure and confidential.  
As an added measure of security, however, ATM  
fund-pick-up process 1500 could be modified further to  
require a beneficiary to also present to an ATM  
15 distributor some personal identification, e.g., a  
driver's license, a passport, etc. Server 11 would then  
prompt the ATM distributor, in request step 1510, for  
example, to key in or speak the beneficiary's name in  
addition to the fund-pick-up number. Then in decision  
20 step 1513, for example, computer 31 could determine not  
only the validity of the fund-pick-up number but also  
whether or not that particular fund-pick-up number  
corresponds to the particular beneficiary involved.  
Specifically, in decision step 1513, computer 31 would  
25 first locate the appropriate transaction record (see  
transaction records T1-Tq in FIG. 2) containing the  
fund-pick-up number provided by the beneficiary and  
keyed in by the ATM distributor (see FUND-PICK-UP  
NUMBER in field 46). If the transaction record in  
30 question has an "open" status (see STATUS field 52),  
computer 31 would then determine whether or not the

corresponding beneficiary name contained in BENEFICIARY  
DATA field 56 matches the beneficiary name keyed in or  
voiced by the ATM distributor. When finding a  
discrepancy, computer 31 would connect the call to  
5 operator telephone system 13 via connect step 1504.

The invention contemplates that when using a  
typical ATM network 1304, financial institution 12  
could make funds available to a beneficiary at  
10 ATMs 1301-1303 within 30 minutes after a transaction is  
initiated (e.g., after receive receipt step 119 in  
FIG. 7 has been executed). In addition and as described  
above, the status (see STATUS in field 52 of FIG. 2) of  
a transaction should remain "open" for only a fixed  
15 period of time (e.g., thirty days). If a beneficiary  
fails to collect the transferred funds (see TRANSFERRED  
AMOUNT in field 47 of FIG. 2) within the fixed time  
period, server 11 may be programmed to automatically  
cancel the transaction. For instance, server 11 could  
20 cancel the transaction, by, for example, changing the  
contents of the STATUS field (field 52) from "OPEN" to  
"EXPIRED". In addition, financial institution 12 would  
then inform the customer that he/she should collect the  
funds because the transaction has expired.

25  
Fraudulent activity with respect to ATM  
fund-pick-up process 1500 could be readily monitored in  
real- or near-real time by fraud control personnel  
located at financial institution 12. Computer 31 could  
30 readily keep a log of all ATM card numbers that have  
been entered in send step 1508. If a particular ATM

card 1306 has been involved in a given number, say  
four, unsuccessful activation attempts, computer 31  
could automatically void the ATM card 1306 by setting  
VALID FLAG in field 1432. The invention contemplates  
5 that most unsuccessful activation attempts would  
normally result from an invalid or incorrectly entered  
fund-pick-up number. Thus, computer 31 and/or customer  
service personnel, in real- or near-real time, could  
report an activation problem to fraud control  
10 personnel, who determine if an actual fraud is being  
perpetrated. In addition, the information contained in  
database 32 can be used to provide a substantial degree  
of fraud prevention by showing ATM card distributor  
usage patterns that point to particular distributors  
15 having an inordinate number of fraud attempts. In  
addition, computer 31 and customer service  
representatives can quickly detect any ATM card  
shipments that are lost or stolen when, in decision  
step 1513, an ATM card 1306 is found to be invalid  
20 because, for example, the caller-ID does not match the  
DISTRIBUTOR TELEPHONE NUMBER in field 1428.

The invention contemplates that ATM card  
distributor sites A1-As, selling-agent sites S1-Sn and  
25 paying-agent sites P1-Pm may best be located at  
airports, banks, department and convenience stores,  
liquor stores, travel agencies, and the like. In many  
instances, selling agents and paying agents may be  
located at the same site and each may function as an  
30 ATM card distributor. However, paying-agent  
sites P1-Pm would best include conveniently located

5

10

What is claimed is:

2 1. A method of transferring a sum of money from a  
3 customer to a beneficiary via a money-transfer company,  
4 a network of money dispensing machines and a plurality  
5 of distributors of money pick-up devices and  
6 corresponding personal codes capable of selective  
7 operation of said money dispensing machines, said  
8 method comprising:

9 collecting said sum of money, via said  
10 money-transfer company, from a customer for transfer to  
11 a beneficiary;

12 providing said beneficiary with a unique device  
13 pick-up code;

14 presenting said unique device pick-up code to one  
15 of said distributors;

16 activating one of said money pick-up devices and  
17 generating a corresponding personal code, via said  
18 distributor and said money-transfer company, in  
19 response to the step of presenting said unique device  
20 pick-up code to one of said distributors;

21 giving said beneficiary an activated one of said  
22 money pick-up devices and a corresponding personal  
23 code; and

24 operating one of said money dispensing machines to  
25 collect said sum of money via said beneficiary using  
26 said activated one of said money pick-up devices and  
27 said corresponding personal code.

000000-000000

1        2.    The method of claim 1 wherein said activating step  
2        includes transmitting said unique device pick-up code  
3        from said distributor to said money-transfer company,  
4        and transmitting said personal code from said  
5        money-transfer company to said distributor.

1        3.    The method of claim 2 wherein the step of  
2        transmitting said unique device pick-up code includes  
3        transmitting, from said distributor to said  
4        money-transfer company, a unique device identification  
5        associated with said activated one of said money  
6        pick-up devices.

1        4.    The method of claim 3 wherein the step of  
2        transmitting said unique device pick-up code includes  
3        transmitting a distributor identification to said  
4        money-transfer company.

1        5.    The method of claim 4 wherein the step of  
2        transmitting said unique device pick-up code includes  
3        transmitting signals from said distributor to said  
4        money-transfer company via a public switched telephone  
5        network (PSTN), and the step of transmitting said  
6        distributor identification includes transmitting an  
7        automatic number identification (ANI) signal from said  
8        PSTN to said money-transfer company.

1        6.    The method of claim 5 wherein the step of  
2        activating includes matching said ANI signal with  
3        previously stored distributor data prior to the step of

000000-000000





21 giving said beneficiary an activated one of said  
22 ATM cards and said corresponding PIN; and  
23 operating one of said ATM's to collect said sum of  
24 money via said beneficiary using said activated one of  
25 said ATM cards and said corresponding PIN.

1        9. The method of claim 8 wherein said activating step  
2 includes transmitting said unique pick-up code from  
3 said distributor to said money-transfer company, and  
4 transmitting said PIN from said money-transfer company  
5 to said distributor.

1     10. The method of claim 9 wherein the step of  
2     transmitting said unique pick-up code includes  
3     transmitting, from said distributor to said  
4     money-transfer company, a unique ATM card number  
5     visibly fixed on said ATM card.

1 11. The method of claim 10 wherein the step of  
2 transmitting said unique pick-up code includes  
3 transmitting a distributor identification to said  
4 money-transfer company.

1     12. The method of claim 11 wherein the step of  
2     transmitting said unique pick-up code includes  
3     transmitting signals from said distributor to said  
4     money-transfer company via a public switched telephone  
5     network (PSTN), and the step of transmitting said  
6     distributor identification includes transmitting an  
7     automatic number identification (ANI) signal






ABSTRACT OF THE DISCLOSURE

A technique for transferring money between a customer and a beneficiary comprises a financial institution, serving as a money-transfer company, a plurality of selling agents, paying agents and ATM (automatic teller machine) card distributors that communicate via a telephone network and/or the Internet. Selling agents distribute transaction cards to customers for use in initiating a money transfer to a particular beneficiary. A selling agent uses a transaction card to transmit a customer's request to the company, which creates a unique transaction record. The company returns a unique, secret fund pick-up ("folio") number to the customer. The customer discloses the folio number to the beneficiary, who collects the transferred money. Specifically, the beneficiary may obtain an ATM card from an ATM card distributor and use that card to collect the transferred funds at a conventional ATM.

# SELLING AGENTS(S)



TRANSACTION RECORDS

<u>FIELD NUMBER</u>	<u>DATA NAME</u>
40	CARD CODE
41	CARD NUMBER
42	TRANSACTION NUMBER
43	TRANSACTION DATE
44	TRANSACTION TIME
45	CONTROL NUMBER
46	FUND → PICK-UP NUMBER
47	TRANSFERRED AMOUNT
48	TRANSACTION FEE
49	TOTAL AMOUNT
50	EXCHANGE RATE
51	FUND → PICK-UP AMOUNT
52	STATUS
53	SELLING AGENT (Transaction)
54	PAYING AGENT
55	CUSTOMER DATA
	Name
	Address
	Telephone Number
	Currency
56	BENEFICIARY DATA
	Name
	Address
	Telephone Number
	Currency
57	PICK-UP DATE
58	PICK-UP TIME

27

Tq

T2

T1

FIG. 2




FIG. 3




FIG. 4




FIG. 5



# TRANSACTION CARD DISTRIBUTION AND ACTIVATION PROCESS 39

FINANCIAL  
INSTITUTION 12

SELLING AGENTS  
51 - 54




FIG. 6

# FINANCIAL INSTITUTION 12

# MONEY-TRANSFER PROCESS 100




FIG. 7

FINANCIAL-  
INSTITUTION  
12

# FUND-PICK-UP PROCESS

PAYING  
AGENT

BENEFICIARY

130

FROM  
MONEY-  
TRANSFER  
PROCESS 100  
(FIG. 7)

REVIEW  
ED

CLAIM  
FUNDS

INPUT  
FUND-PICK-UP  
NUMBER

ACCESS  
TRANSACTION  
RECORD

TRANSMIT  
RECORD

CONFIRM  
MONEY  
TRANSFER?

END

RECEIVE  
REQUEST

REQUEST  
PAYMENT  
RECEIPT

LOAD  
PAYMENT  
DATA

ISSUE  
RECEIPT

PRINT  
RECEIPT

OBTAIN  
SIGNATURE

MAKE  
PAYMENT

RECEIVE  
FUNDS &  
RECEIPT

FIG. 8

000000-000000




FIG. 10





FIG. 11






FIG. 12




FIG. 13






FIG. 14

000000-000000

# ATM FUND-PICK-UP PROCESS




FIG. 15

000000-000000

Please type a plus sign (+) inside this box → ☒

PTO/SB/01 (12-97)  
Approved for use through 9/30/00. OMB 0651-0032  
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

<b>DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION (37 CFR 1.63)</b>  <input checked="" type="checkbox"/> Declaration Submitted with Initial Filing      OR <input type="checkbox"/> Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)	<b>Attorney Docket Number</b>	Unisphere-13/2
	<b>First Named Inventor</b>	Luis E. GUTIERREZ-SHERIS
	<b>COMPLETE IF KNOWN</b>	
	<b>Application Number</b>	/
	<b>Filing Date</b>	
	<b>Group Art Unit</b>	
	<b>Examiner Name</b>	

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

**MONEY-TRANSFER TECHNIQUES**

the specification of which (Title of the Invention)

☒ Is attached hereto  
OR  
☐ was filed on (MM/DD/YYYY) [ ] as United States Application Number or PCT International Application Number [ ] and was amended on (MM/DD/YYYY) [ ] (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
NONE			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YYYY)	<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.
60/174,646	01/05/00	

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box → ☒

PTO/SB/01 (12-97)  
Approved for use through 9/30/00. OMB 0651-0032  
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE  
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

## DECLARATION — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: ☒ Customer Number 007265 → 

Place Customer Number Bar Code Label here

☐ OR Registered practitioner(s) name/registration number listed below

Name	Registration Number	Name	Registration Number
Peter L. Michaelson	30,090	Ronald L. Drumheller	25,674
Robert M. Wallace	29,119	Edward M. Fink	19,640
Jeremiah G. Murray	20,533	Christopher Balzan	40,901
John T. Peoples	28,250	Eric Agaard	40,478

☐ Additional registered practitioner(s) named on supplemental Registered Practitioner Information sheet PTO/SB/02C attached hereto.

Direct all correspondence to: ☒ Customer Number 007265 OR ☐ Correspondence address below

Name					
Address					
Address					
City		State		ZIP	
Country		Telephone		Fax	

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor: ☐ A petition has been filed for this unsigned inventor

Given Name (first and middle [if any])		Family Name or Surname	
Luis Eduardo		GUTIERREZ-SHERIS	
Inventor's Signature			Date
Residence: City	Ridgewood	State	NJ
Country	US	Citizenship	US
Post Office Address	324 Beechwood Road		
Post Office Address	SAME AS ABOVE		
City		State	
ZIP		Country	

☐ Additional inventors are being named on the \_\_\_\_\_ supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto